# **BOSTON - AEI**

**DATASHEET** 








# Key Features

- Fully adjustable surface mounted gimbal
- Available in white or black
- Dimming and emergency options
- Excellent luminaire efficacy of up to 113.5 llm/W
- Medium beam reflector supplied as standard, narrow and wide beam options available
- Lumen maintenance L70 / F10 @ >60,000 hours
- Ra90 high colour rendering available

### **Technical Drawing**















Declaration of Conformity available

## Ordering Information

Luminaire Output (llm)	Power (tcW)	Colour	Model Ref.
1025	10	830	AEI001
1025	9	840	AEI002
2000	18	830	AEI003
2000	18	840	AEI004
3000	31	830	AEI005
3000	29	840	AEI006

#### Options

Please select from the options below.

Black body and gimbal	/BK
SwitchDIM, DALI or DSI	/ECO
Narrow beam	/NB
Wide beam	/WB
High colour rendering option (Ra 90)	/R9

# **BOSTON - AEI**OPTIONS AND ACCESSORIES





# Options



/NB Narrow beam reflector



/WB Wide beam reflector



**/ECO** SwitchDIM, DALI or DSI



**/R9** High colour rendering (R<sub>a</sub>90)



**/BK**Black body and gimbal

#### Also Available



**Product variations**Other colours and specifications available on request



**Recessed avaliable** See Boston GTT









