

## TOPAZ - ACJ

Model Reference	Luminaire Power (tcW)	Engine Output (lm)	Luminaire Output (lm)	Luminaire Efficacy (lm/tcW)	Colour Temperature (K)	Colour Rendering (Ra)	UGR	Nominal Weight (kg)	Mains Voltage (V)	Mains Frequency (Hz)	Ingress Protection (Front)	Ingress Protection (Rear)	MacAdam (SDCM)	Minimum Operating Temperature (°C)	Maximum Operating Temperature (°C)	Warranty (Years)	Life L90/F10 (hours)
ACJ001	8.2	596	542	66.4	2700	90	13.4	0.3	220 - 240	50 - 60	IP44	IP20	3	-25°C	+35°C	5	>55,000
ACJ002	6.7	652	593	96.1	3000	80	13.7								+35°C	5	>55,000
ACJ003	6.7	689	627	101.5	4000	80	13.9								+35°C	5	>55,000
ACJ004	10.1	828	753	74.8	2700	90	14.6								+25°C	5	>55,000
ACJ005	8.2	844	767	93.7	3000	80	14.6								+25°C	5	>55,000
ACJ006	8.2	892	811	99.0	4000	80	14.8								+25°C	5	>55,000

**Please note:** Specification values may change due to rapid development of lighting technology. All performance data is taken at an ambient temperature of +25°C. Data may be rounded up/down for illustrative purposes. Tolerance range of optical and electrical data is +/-10%. We reserve the right to amend or change details without prior notification. E&OE.

GDS-285T-REV4 11/08/2022



Thornhill Road Business Park  
Tenter Fields, Dewsbury  
West Yorkshire  
WF12 9QT  
+44 (0)1924 482777  
www.gamma-uk.com



FS 593079

