




Vapour proof	High efficacies lm/W	Sensor Options
IK10	5yr Warranty	Emergency Options
IP65	Dimming options	DALI 2 Dimming options

KEY FEATURES

- IP65 anti-corrosive LED batten
- Robust IK10 rated injection-moulded polycarbonate body
- Clear vapour-proof IK10 rated high impact diffuser
- High system efficacy to aid Building Regulations Part L compliance
- Up to 158 luminaire lumens per total circuit Watt
- Nominal rated life >72,000h L80
- Tridonic LED and module system
- Opal light pipe for homogenous output
- Quick-release flush mounted fixing clips
- Adjustable 1.5 m suspension kit and corner-mounting kit options
- Dimming, DALI, sensor control and emergency options

DIMENSIONS




ORDERING INFORMATION

Luminaire output (lm)	Colour temp	Luminaire power (tcW)	Light source efficacy (lm/W)	Luminaire efficacy (lm/tcW)	Model ref.
5250	830	36	177	146	ABI003
5500	840	36	186	139	ABI004
2800	830	18.5	194	129	ABI007
2925	840	18.5	203	101	ABI008

OPTIONS

Options	Suffix
Control gear	/ECO, /SO
Emergency - Remote indicator	/EM, /EMD
Product variations available	PV.




/ECO
SwitchDIM, DALI & DSI



/EM
Emergency



/EMD
DALI emergency




/SO
Sensor on / off
Not available with /ECO

ACCESSORIES




SUS129
1.5 m suspension kit



CMK129
Corner mounting kit



SC129/14
Stainless steel clips
14 pack



SPR129
Sensor programming
remote

PV - PRODUCT VARIATIONS



PV - Contact Sales
LSOH / LSF cable



PV - Contact Sales
Finish options



PV - Contact Sales
Sensor options



PV - Contact Sales
Casambi wireless network
inc. dimming




Duro - ABI

Options and accessories



Membership No 1835

/SO SENSOR DETECTION RANGE



Thornhill Road Business Park
Tenter Fields, Dewsbury
West Yorkshire
WF12 9QT
+44 (0)1924 482777
www.gamma-uk.com



Please note: Specification values may change due to rapid development of lighting technology. All performance data is taken at an ambient temperature of +25°C.
Data may be rounded up/down for illustrative purposes. We reserve the right to amend or change details without prior notification. E&OE.