




## KEY FEATURES

- Decorative, professional tubular pendant
- Tridonic LED engine and driver system
- Rated life 55,000h L90/F10
- DALI and Bluetooth options
- Finished in semi-gloss black as standard
- Track mounting options
- Multiple product variations available

## DIMENSIONS




## ORDERING INFORMATION

Engine output (lm)	Luminaire power (tcW)	Colour	Model ref.
625	8.0	927	<b>AI001</b>
650	6.5	830	<b>AI002</b>
700	6.5	840	<b>AI003</b>
850	10.0	927	<b>AI004</b>
850	7.5	830	<b>AI005</b>
900	7.5	840	<b>AI006</b>
1150	13.5	927	<b>AI007</b>
1250	11.5	830	<b>AI008</b>
1325	11.5	840	<b>AI009</b>


## OPTIONS

Options	Suffix
Control gear	<b>/MDIM, /ECO, /BTC</b>
White softlight baffle	<b>/WSB</b>
Ra90 high colour rendering	<b>/9</b>
Narrow beam reflector	<b>/NB</b>
Red braided cable	<b>/RC</b>
Track mounted	<b>/TK, /TKDALI, /TKBTC</b>
Product variations available	<b>PV.</b>



**/MDIM**

Mains dimming



**/ECO**

SwitchDIM, DALI & DSI



**/BTC**

Casambi wireless network  
inc. dimming



**/WSB**

White softlight baffle  
RAL 9003



**/9**

High colour rendering  
LED module



**/NB**

20° narrow beam  
reflector



**/RC**

Red braided cable



**/TK**

Track mounted



**/TKDALI**

Track mounted  
DALI



**/TKBTC**

Track mounted  
Bluetooth



**BTWS001**

Wireless Casambi  
single wall switch



**BTWS002**

Wireless Casambi  
twin wall switch

### PV - PRODUCT VARIATIONS



**PV - Contact Sales**

Any RAL colour body




**PV - Contact Sales**

Bespoke body lengths



**PV - Contact Sales**

Coloured flex sleeve



**PV - Contact Sales**

Custom optics



**PV - Contact Sales**

Any RAL colour baffle



# Topaz - AI

## Options & accessories




Membership No 1835

### RELATED PRODUCTS




#### Downlight

See Topaz ACJ



#### Wall wash

See Topaz ACA



#### Tilttable

See Topaz ACA



#### Square

See Topaz ACB & ACC



#### Twin / Triple

See Topaz ACB

Thornhill Road Business Park  
Tenter Fields, Dewsbury  
West Yorkshire  
WF12 9QT  
+44 (0)1924 482777  
www.gamma-uk.com



Please note: Specification values may change due to rapid development of lighting technology. All performance data is taken at an ambient temperature of +25°C. Data may be rounded up/down for illustrative purposes. Tolerance range of optical and electrical data is +/-10%. We reserve the right to amend or change details without prior notification. E&OE.