


### KEY FEATURES

- Professional low glare downlight with wide choice of options
- Suitable for future reworking in our Renew and Reuse workshop
- Tridonic LED module and paired driver system
- ETL compliant variants available - Contact Sales
- Lumen maintenance L80/F10 @ >55,000 h
- Multi-faceted 40° pure aluminium reflector as standard
- Height under 100 mm using optimised thermodynamics
- Emergency, DALI, dimming and wireless network control options
- Decorative and IP65 sealed bezel options
- 5 year warranty

### DIMENSIONS



### ORDERING INFORMATION

Luminaire output (lm)	Colour	Luminaire power (tcW)	Luminaire efficacy (lm/tcW)	Model ref.
1025	830	8	126.9	<b>TTT001</b>
1075	840	8	131.3	<b>TTT002</b>
1725	830	14	124.9	<b>TTT003</b>
1800	840	14	129.4	<b>TTT004</b>
2375	830	19	123.1	<b>TTT005</b>
2450	840	19	127.2	<b>TTT006</b>
3150	830	28	113.1	<b>TTT007</b>
3275	840	28	116.9	<b>TTT008</b>

### OPTIONS

Options	Suffix
Reflectors	<b>/MF25, /MF60, /SP40, /SA50</b>
Control gear	<b>/ECO, /TOP, /BTC</b>
Emergency - Remote indicator	<b>/EM, /EMD, /EMS</b>
Emergency - Integral indicator	<b>/EMI, /EMDI, /EMSI</b>
TA200 bezel accessory	<b>/WH, /BWH, /GY, /BL</b>
Slimline bezel accessory	<b>TA250/BWH</b>
Product variations available	<b>PV.</b>



**/MF25**

25° multi-faceted reflector



**/MF60**

60° multi-faceted reflector




**/SP40**

40° specular reflector




**/SA50**

50° satin etched reflector



**/ECO**

SwitchDIM, DALI & DSI



**/TOP**

Tridonic Excite Series driver



**/BTC**

Casambi wireless control driver



**/EM**

Emergency Remote indicator



**/EMD**

DALI emergency Remote indicator



**/EMS**

Self test emergency Remote indicator




**/EMI**

Emergency Integral indicator



**/EMDI**

DALI emergency Integral indicator



**/EMSI**

Self test emergency Integral indicator



**TA200/WH**

White RAL 9010



**TA200/BWH**

Brilliant White RAL 9016



**TA200/BL**

Black RAL 9005



**TA200/GY**

Grey RAL 9006



**PI200**

Plaster-in kit  
Cut-out: 140 mm  
Height: 138 mm



**TA250/BWH**

Slimline bezel  
Brilliant White RAL 9016\*



**AT200/WH**

Anti-tamper bezel\*  
White RAL 9010

\* Full range of finishes available - Contact Sales



**IP65/001/130**

White IP65 / IK10 bezel\*  
Clear polycarbonate



**IP65/002/130**

White IP65 / IK10 bezel\*  
Opal polycarbonate



**IP65/001/130/BL**

Black IP65 / IK10 bezel\*  
Clear polycarbonate



**IP65/002/130/BL**

Black IP65 / IK10 bezel\*  
Opal polycarbonate



**TA225/WH**

White bezel\*  
Dropped clear halo



**TA226/WH**

White bezel\*  
Dropped opal halo



**TA210/FROST**

Frost snoot



**TA210/BLEU**

Blue snoot




**TA210/BLACK**

Black snoot



**TA220/FROST**

Frost Hi-light



**TA220/BLEU**

Blue Hi-light



**TA230/FROST**

Frost Neo



**TA230/BLEU**

Blue Neo



**TA240**

IP54 clear glass



**TA241**

IP54 centre etched glass



**TA242**

IP54 fully etched glass



**HALOKIT.001**

White concealer plate\*  
Max. cut-out 150 mm



**GF208 / GF218**

Anti-tamper driver  
Anti-tamper bit



**BTWS001**

Wireless Casambi  
single wall switch



**BTWS002**

Wireless Casambi  
twin wall switch

\* Full range of finishes available - Contact Sales

Note - Choose only TA200 bezels when using TA210 / TA220 / TA230 / TA240 / TA241 / TA242 accessories




# Great White - TTT

## Options and accessories



Membership No 1835

### PV - PRODUCT VARIATIONS




**PV - Contact Sales**  
Any RAL colour bezel



**PV - Contact Sales**  
Honeycomb louvre



**PV - Contact Sales**  
Plug & Play  
Choice of connectors



**PV - Contact Sales**  
LS0H / LSF cable



**PV - Contact Sales**  
Choice of modules



**PV - Contact Sales**  
Alternative coloured accessories



**PV - Contact Sales**  
RGBW colour change



**PV - Contact Sales**  
HubSense wireless

### RELATED PRODUCTS



**See GTS / GTT**  
Gimbal



**See ABA / ABB**  
Framelight



**See LTS / LTT**  
Track spot



**See AHA**  
Surface downlight



**See AHA**  
Suspended downlight

Thornhill Road Business Park  
Tenter Fields, Dewsbury  
West Yorkshire  
WF12 9QT  
+44 (0)1924 482777  
www.gamma-uk.com



Please note: Specification values may change due to rapid development of lighting technology. All performance data is taken at an ambient temperature of +25°C. Data may be rounded up/down for illustrative purposes. We reserve the right to amend or change details without prior notification. E&OE.